LITERATURE CITED

(IN GENERAL REPORT OR REPORTS ON INDIVIDUAL WILDERNESSES)

- Alt, D. D. & D. W. Hyndman. 1975. Roadside Geology of Northern California. Mountain Press, Missoula.
- ARB (California Air Resources Board). 1974. Air Pollution in California. Annual Report, 1973. Sacramento.
- ARB (California Air Resources Board). 1988. The Fifth Annual Report to the Governor and the Legislature on the Air Resources board's Acid Deposition Research and Monitoring Program. Sacramento.
- Arno, S. F. 1973. *Discovering Sierra Trees*. Yosemite & Sequoia Natural History Association.
- Baddeley, M. S. , B. W. Ferry & E. J. Finnegan. 1973. Sulphur dioxide
 and respiration in lichens. Pages 229-313 in: Ferry, B., M. S.
 Baddeley & D. L. Hawksworth (eds.), Air Pollution and Lichens.
 Athlone Press, London.
- Beauchamp, R. M. 1986. A Flora of San Diego County, California. Sweetwater River Press, National City, California.
- Davis, G. A. 1966. Metamorphic and granitic history of the Klamath Mountains. Pages 39-50 in: Bailey, E. H. (ed.), Geology of Northern California. Calif. Div. Mines Geol. Bull. 190.
- DeSloover, J. & F. LeBlanc. 1968. Mapping of atmospheric pollution on the basis of lichen sensitivity. Proc. Symp. Recent Adv. Trop. Ecol. 1968: 42-56.
- DeWit, T. 1976. Epiphytic Lichens and Air Pollution in the Netherlands. *Biblioth. Lichenol.* 5: 1-227. J. Cramer, Vaduz.
- Dodge, J. M. 1975. Vegetational changes associated with land use and fire history in San Diego County. Ph.D. dissertation, University of California, Riverside. 216 pp.
- Donley, M. W., S. Allan, P. Caro & C. P. Patton. 1979. Atlas of California. Pacific Book Center, Culver City.
- Egan, R. S. 1987. A fifth checklist of the lichen-forming, lichenicolous and allied fungi of the continental United States and Canada. *The Bryologist* 90(2): 77-173.

- Follmann, G. 1973. Uber den Ruckgang der Flechtenflora im Stadtgebiet von Kassel (Nordhessen, Bundesrepublik Deutschland). *Philippia* 1(5): 241-257.
- Gilbert, O. L. 1970. A biological scale for the estimation of sulfur dioxide air pollution. *New Phytologist* 69: 629-634.
- Griffin, J. R. 1977. Oak woodland. Pages 383-415 in: Barbor, , M. G.
 & J. Major (eds.), Terrestrial Vegetation of California. John
 Wiley & Sons, New York.
- Hale, M. E. 1982. Lichens as biondicators and monitors of air pollution in the Flat Tops Wilderness Area, Colorado. Final Report: Forest Service Contract No. OM RFP R2-81-SP35.
- Hale, M. E. & M. Cole. 1989. *Lichens of California*. University of California Press, Berkeley.
- Hanes, T. L. 1976. Vegetation types of the San Gabriel Mountains.

 Pages 65-76 in: Latting, J. (ed.), Plant Communities of Southern
 California. California Native Plant Society Spec. Pub. 2.
- Hanes, T. L. 1977. California Chaparral. Pages 417-470 in: Barbor, M. G. & J. Major (eds.), Terrestrial Vegetation of California. John Wiley & Sons, New York.
- Hasse, H. E. 1913. The lichen flora of southern California.

 Contributions from the United States National Herbarium 17: 1132.
- Hawksworth, D. L. & F. Rose. 1970. Qualitative scale for estimating sulphur dioxide air pollution in England and Wales using epiphytic lichens. *Nature* (London) 227: 145-148.
- Hebert, J. R. & R. W. Meyer. 1984. Lichens of the San Joaquin Experimental Range, California. *The Bryologist* 87(3): 251-254.
- Herre, A. W. 1910. The lichen flora of the Santa Cruz peninsula, California. Proceedings of the Washington Academy of Sciences 12: 27-269.
- Herre, A. w. 1950. The lichen flora of Mount Shasta, California. *The Bryologist* 53: 43-54.
- Irwin, W. P. 1966. Geology of the Klamath Mountains Province. Pages 19-28 in: Bailey, E. H. (ed.), Geology of Northern California. Calif. Div. Mines Geol. Bull. 190.

- Johnsen, I. & U. Sochting. 1973. Influence of air pollution on the epiphytic lichen vegetation and bark properties of deciduous trees in the Copenhagen area. *Oikos* 24: 344-351.
- JUrging, P. 1971. Rindenflechten und Luftverunreinigung im Stadtgebiet von Graz. *Mitt. naturwiss. Ver. Steiermark* 100: 151-189.
- Kinucan, E. S. 1965. Deer utilization of postfire Chaparral shrubs and fire history of the San Gabriel Mountains. M. A. thesis, California State College, Los Angeles. 61 pp.
- Kruckeberg, A. R. 1969. Plant life on serpentinite and other
 ferromagnesian rocks in northwestern North America. Sysesis 2:
 15-114.
- Kuchler, A. W. 1977. The map of the natural vegetation of California.
 Pages 909-938 in: Barbor, M. G. & J. Major (eds.), Terrestrial
 Vegetation of California. John Wiley & Sons, New York.
- Lawrey, J. 1984. Biology of Lichenized Fungi. Praeger, New York.
- Lawson, D. R. & J. G. Wendt. 1982. Acid Deposition in California. SAE Technical Paper 821245.
- LeBlanc, F. & D. N. Rao. 1975. Effects of air pollutants on lichens and bryophytes. Pages 237-272 in: Mudd, J. B. and T. T. Kozlowski (eds.), Responses of Plants to Air Pollution. Academic Press, New York.
- Lewis, A. & G. W. Gause. 1966. Trees of the Angeles National Forest. USDA Forest Service, Covina, California.
- Major, J. & D. W. Taylor.].977. Alpine. Pages 601-675 in: Barbor, M. G. & J. Major (eds.), Terrestrial Vegetation of California. John Wiley & Sons, New York.
- Marti, J. 1983. Sensitivity of lichen phycobionts to air pollutants. Can. J. Bot. 61: 1647-1653.
- Martin, J.-F. & F. Jacquard. 1968. Influence des fumees d'usines sur la distribtuion des lichens dans la valee de la Romanche (Isere). *Pollution Atmospherique* 38: 95-99.
- Miller, P. C. 1973. Oxidant-induced community change in a mixed conifer forest. Pages 101-117 in: Naegele, J. A. (ed.), Air Pollution Damage to Vegetation. Adv. in Chem. Ser. 122. American Chemical Society, Washington, D. C.

- Miller, W. J. 1942. Geology of the western San Gabriel Mountains of California. University of California Press, Berkeley.
- Muth, G. I. 1967. A flora of the Marble Mountain Wilderness area, Siskiyou County, California. M. A. thesis, Pacific Union College, Angwin, California.
- Nash III, T. H. 1976. Sensitivity of lichens to nitrogen dioxide fumigations. *The Bryologist* 79(1): 103-106.
- Nash III, T. H. & L. L. Sigal. 1979. Gross photosynthetic response of lichens to short-term ozone fumigations. *The Bryologist* 82(2): 280-285.
- Nash III, T. H. & L. L. Sigal. 1980. Sensitivity of lichens to air pollution with an emphasis on oxidant air pollutants. Proceedings of the symposium on effects of air pollutants on Mediterranean and temperate forest ecosystems: 117-124.
- Nash III, T. H. & V. Wirth. 1988. Lichens, Bryophytes and Air Quality. *Bibl. Lichenol.* 30. J. Cramer, Berlin.
- NADP/NTN. (National Atmospheric Deposition Program). 1989. NADP/NTN Annual Data Summary: Precipitation Chemistry in the United States, 1988.
- Neel, M. 1987. Lichens and Air Pollution in the San Gabriel Wilderness, Angeles National Forest, California. Earth Resources Monograph 13. Forest Service/USDA Region 5.
- Oakeshott, G. B. 1971. California's Changing Landscapes. A Guide to the Geology of the State. McGraw-Hill, New York.
- Perkins, D. F. & R. O. Millar. 1987. Effects of airborne fluoride emissions near an aluminum works in Wales: Part 2--Saxicolous lichens growing on rocks and walls. *Environmental Pollution* 48: 185-196.
- Peterson, P. V. & P. V. Peterson, jr. 1975. Native Trees of the Sierra Nevada. University of California Press, Berkeley.
- Pisut, I. 1962. Bemerkungen zur Wirkung der Exhaltionsprodukte auf die Flechtenvegetation in der Umgebung von Rudnany (Nordostslowakei). *Biologia* 17(7): 481-494.
- Ranft. H. 1971. Untersuchungen zur Raucharte von Flechten und Moosen unter Schwefeldioxideinfluss: Pages 25-29 in: Bioindicators of Landscape Deterioration, Praha.

- Richards, B. L., J. T. Middleton, & W., B. Hewitt. 1958. Air pollution with relations to agronomic crops: IV. Oxidant stipple to grape. *Agronomy Journal* 50: 559-561.
- Rundel, P. W. 1975. Primary succession on granite outcrops in the montane southern Sierra Nevada. *Madrono* 23: 209-220.
- Rundel, P. W., D. J. Parsons & D. T. Gordon. 1977. Montane and subalpine vegetation of the Sierra Nevada and Cascade ranges. Pages 559-599 in: Barbor, M. G. & J. Major (eds.), Terrestrial Vegetation of California. John Wiley and Sons, New York.
- Ryan, B. & T. H. Nash 111. 1990 (unpubl.) Lichen Flora of the Eastern Brook Lakes Watershed, California.
- Sawyer, J. O. & D. A. Thornburgh. 1971. Vegetation types on granodiorite in the Klamath Mountains, California. Unpublished report to the Pacific Southwest Forest 7 Range Experiment Station.
- Sawyer, J. 0. & D. A. Thornburgh. 1977. Montane and subalpine
 vegetation of the Klamath Mountains. Pages 699-732 in: Barbor,
 M. G. & J. Major (eds.), Terrestrial Vegetation of California.
 John Wiley & Sons, New York.
- Sawyer, J. O., D. A. Thornburgh & J. R. Griffin. 1977. Mixed evergreen forest. Pages 359-381 in: Barbor, M. G. & J. Major (eds.), Terrestrial Vegetation of California. John Wiley & Sons, New York.
- Schaffer, J. P. 1987. Desolation Wilderness and the South Lake Tahoe Basin. Wilderness Press, Berkeley.
- Seitz, W. 1972. Flechtenwuchs und Luftverunreinigung im Großraum von Saarbrucken. Ber. Deutsch. Bot. Ges. 35(5-6): 239-247.
- Sigal, L. L. & T. H. Nash III. 1983. Lichen communities on conifers in southern California mountains: An ecological survey relative to oxidant air pollution. *Ecology* 64(6): 1343-1354.
- Skorepa, A. C. & D. H. Vitt. 1976. A quantitative study of epiphytic lichen vegetation in relation to SO_2 pollution in western Alberta. Environment Canada Forest Service Information Report NOR-X-161.
- Skye, E.. 1979. Lichens and Air Pollution. Acta Phytogeographica Suecica 52. Uppsala.
- Smiley, F. J. 1915. The alpine and subalpine vegetation of the Lake Tahoe region. *Botanical Gazette* 2: 265-286.

- Smith G. L. 1973. A flora of the Tahoe Basin and neighboring areas. *Wasmann Journal of Biology* 31: 1-231.
- Smith, D. W. 1980. A taxonomic survey of the macrolichens of Sequoia and Kings Canyon National Parks. Masters thesis, San Francisco State University.
- Taylor, O. C. 1968. Effects of oxidant air pollutants. *Journal of Occupational Medicine* 10: 53-60.
- Taylor, R. J. & M. A. Bell. 1983. Effects of SO_2 on the lichen flora in an industrial area of northwest Whatcom County, Washington. Northwest Science 57(3): 157-166.
- Thorne, R. F. 1977. Montane and subalpine forests of the Transverse and Peninsular Ranges. Pages 537-558 in: Barbor, and Major (eds.), Terrestrial Vegetation of California. John Wiley & Sons, New York.
- Tucker, S. C. & W. P. Jordan. 1979. A catolog of California lichens. Wasmann Journal of Biology 36: 1-105.
- Tuckerman, E. 1882, 1888. A synopsis of the North American lichens. Pt. 1, Boston; Pt. 2, New Bedford.
- Wagner, W. W. 1961. Past fire incidence in Sierra Nevada forests. Journal of Forestry 51: 739-748.
- Wetmore, C. M. 1985. Lichens and Air Quality in Sequoia National Park. Final Report, National Park Service Contract CX 0001-2-0034.
- Wetmore, C. M. 1987. Lichens and Air Quality in Saguaro National Monument with Chemical Analysis of Chiricahua Lichens. Final Report, National Park Service Contract CX 0001-2-0034.
- Wetmore, C. M. 1988. Lichens and air quality in Indiana Dunes National Lakeshore. *Mycotaxon* 33: 25-39.
- Windler, D. R. 1977. The Use of Lichens as Indicator Organisms for Detecting Changes in Various Air Pollutants. A Progress Report to the Power Plant Siting Program of the State of Maryland under Contract P31-77-04.